

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
1508	Benson	Hollywood juniper	13	No	3	Moderate	Above-ground planter; leans S.; typical form & structure.
1509	Benson	Hollywood juniper	11,4	No	3	Low	Above-ground planter; codominant trunks @ base; strong lean S.; typical form & structure
1510	Benson	Hollywood juniper	11,10	Yes	4	Moderate	Above-ground planter; codominant trunks @ 1'; typical form & structure
1511	Benson	Hollywood juniper	9,8,3,3	Yes	4	Moderate	Above-ground planter; multiple attachments @ base; crowded.
1512	Benson	Brazilian pepper	11,6,6,5	No	3	Low	Above-ground planter; multiple attachments @ base; stems bow outwards.
1513	Benson	Brazilian pepper	16	Yes	4	Moderate	Above-ground planter; codominant trunks @ 15'; 2 stems bowed flat.
1514	Benson	Brazilian pepper	13	Yes	4	Moderate	Above-ground planter; bowed flat to N.
1516	Benson	Brazilian pepper	21	No	3	Low	5' by 5' above-ground planter filled by tree; multiple attachments @ 9'; poor form &
1517	Benson	Brazilian pepper	16	No	2	Low	5' by 5' above-ground planter filled by tree; suppressed by adj. tree; codominant trunks @ 7' with 2 additional stems x'd.
1530	Benson	Evergreen pear	9	No	3	Low	8' by 8' above-ground planter; multiple attachments @ 7'; rangy form.
1531	Benson	Honey locust	4	No	2	Low	8' by 8' above-ground planter; poor.
1532	Benson	Honey locust	5	No	2	Low	8' by 8' above-ground planter; poor.
1533	Benson	Honey locust	5	No	2	Low	8' by 8' above-ground planter; no vigor; twig dieback.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
1534	Benson	Honey locust	5	No	3	Low	5' cutout in sidewalk; rangy form; multiple attachments @ 6'.
1535	Benson	Honey locust	3	No	2	Low	5' cutout in pavement; poor.
1536	Benson	Southern magnolia	6	No	3	Low	8' by 8' above-ground planter; good form but thin chlorotic canopy.
1539	Benson	Southern magnolia	5	No	5	High	8' by 8' above-ground planter; good tree.
1538	Benson	Honey locust	3	No	2	Low	5' cutout in pavement; poor.
1537	Benson	Honey locust	5	No	4	Moderate	5' cutout in pavement; rangy form due to lost central leader.
1543	Benson	Honey locust	6	No	4	Moderate	8' by 8' above-ground planter; okay form; thin canopy.
1542	Benson	Honey locust	4	No	2	Low	8' by 8' above-ground planter; no vigor; poor form.
1541	Benson	Honey locust	3	No	2	Low	8' by 8' above-ground planter; no vigor; poor form.
1540	Benson	Evergreen pear	8	No	3	Moderate	8' by 8' above-ground planter; codominant trunks @ 7'; rangy form; dense canopy.
1544	Benson	Chinese pistache	20	No	2	Low	Pavement cutout; multiple attachments @ 6'; poor form.
1626	Benson	Crape myrtle	1	No	5	High	Good young tree; just planted.
1548	Benson	Cordyline	16	No	1	Low	Above-ground planter; back half of trunk completely decayed.
1549	Benson	Cordyline	17	No	3	Low	Above-ground planter; multiple attachments @ 8'; back side of trunk wounded.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
1625	Benson	Crape myrtle	1	No	5	High	Good young tree; just planted.
1624	Benson	Crape myrtle	1	No	5	High	Good young tree; just planted.
1623	Benson	Crape myrtle	1	No	5	High	Good young tree; just planted.
1622	Benson	Crape myrtle	1	No	5	High	Good young tree; just planted.
1621	Benson	Crape myrtle	1	No	5	High	Good young tree; just planted.
1625.1	Benson	London plane	15	Yes	4	High	Multiple attachments @ 10'; still has good central leader.
1620	Benson	Crape myrtle	1	No	5	High	Good young tree; just planted.
1563	Benson	Glossy privet	11	No	3	Low	Above-ground planter; multiple attachments @ 5' & 8'; ext. twig dieback.
1555	Benson	Camphor	16	No	3	Moderate	Multiple attachments @ 6'; crown lifted.
1555.1	Benson	Chinese pistache	13	No	3	Moderate	Street tree; pavement cutout; codominant trunks @ 10'; rangy form.
3393	Cowell	Evergreen ash	21	No	3	Low	Poor form; one-sided to SW.; due to competition.
3392	Cowell	Fern pine	14	Yes	4	Moderate	1' from bldg.; typical form & structure.
3396	Cowell	Evergreen ash	36	Yes	4	Moderate	Huge tree with upright narrow crown; codominant trunks @ 10'.
3395	Cowell	Evergreen ash	23	No	3	Moderate	Narrow & upright form due to crowding; multiple attachments @ 7'.
3394	Cowell	Evergreen ash	24	No	3	Low	Poor form due to competition; one-sided to NW.
3397	Cowell	Evergreen ash	43	Yes	4	Moderate	Huge tree with typical form & structure; huge surface roots; vase-shaped crown; somewhat one-sided to NE.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3398	Cowell	Evergreen ash	24	No	3	Moderate	Typical form & structure; one-sided to W.; codominant trunks @ 10'.
2836	Cowell	Raywood ash	12	No	3	Low	Multiple attachments @ 10'; twig dieback throughout.
2835	Cowell	Raywood ash	12	No	2	Low	Poor; largely dead.
2834	Cowell	Raywood ash	20	No	3	Low	Multiple attachments @ 6'; no central leader; round form.
3400	Cowell	Evergreen ash	17	No	3	Low	One-sided to NE.; rangy form.
3401	Cowell	Evergreen ash	27	Yes	4	Moderate	Big tree; codominant trunks @ 9'; narrow vase-shaped crown.
3402	Cowell	Evergreen ash	23	No	3	Low	One-sided to SE.; multiple attachments @ 6'.
3403	Cowell	Crape myrtle	2	No	5	High	Good young tree.
3404	Cowell	Crape myrtle	2	No	5	High	Good young tree.
3405	Cowell	Evergreen ash	34	Yes	4	Moderate	Big tree; large surface roots; multiple attachments @ 7'; leaning apart; high crown.
3384	Cowell	Evergreen ash	28	Yes	4	Moderate	Generally good form; but one-sided to SE.
3385	Cowell	Evergreen ash	35	Yes	4	Moderate	Multiple attachments @ 8'; big vase-shaped crown.
3386	Cowell	Evergreen ash	30	No	3	Low	Multiple attachments @ 8'; separated on SW.
3387	Cowell	Evergreen ash	32	No	3	Low	Multiple attachments @ 7'; one-sided to SW.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3388	Cowell	Purpleleaf plum	9	No	1	Low	Failing @ base to S.; just poor; base cracked.
3389	Cowell	Evergreen ash	22	Yes	4	Moderate	Codominant trunks @ 7'; slight bow W.; large wounded surface roots.
3390	Cowell	Sydney golden wattle	10	No	1	Low	Failed @ base to W.; swept upright @ tip; poor form & structure.
3391	Cowell	Evergreen ash	30	Yes	5	High	Multiple attachments @ 12'; high vase-shaped crown.
3406	Cowell	Modesto ash	13	No	3	Low	Poor form & structure.
3407	Cowell	Modesto ash	19	No	3	Low	Leans S.; multiple attachments @ 8'; some correction.
3408	Cowell	Modesto ash	25	Yes	4	Moderate	Typical form & structure; series of codominant attachments; round form.
3409	Cowell	Yew pine	9,8	No	3	Low	Codominant trunks @ 1'; separated; big shrub.
1459	Dunne	Coast redwood	9	Yes	5	High	Good young tree.
1458	Dunne	Coast redwood	8	Yes	5	High	Good young tree.
1457	Dunne	Coast redwood	8	Yes	5	High	Good young tree.
1456	Dunne	Coast redwood	8	Yes	5	High	Good young tree.
1455	Dunne	Coast redwood	9	Yes	5	High	Good young tree.
1454	Dunne	Coast redwood	10	Yes	5	High	Good young tree.
1453	Dunne	Coast redwood	10	Yes	5	High	Good young tree.
1451	Dunne	Coast redwood	9	Yes	5	High	Good young tree.
1450	Dunne	Coast redwood	10	Yes	5	High	Good young tree.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
2774	Malley	Kwanzan cherry	10	No	3	Moderate	Typical form & structure; multiple attachments @ 3'; thin canopy.
2775	Malley	Kwanzan cherry	8	No	2	Low	Poor; failing @ base to SE.; long trunk wound.
2776	Malley	Kwanzan cherry	9	No	2	Low	Poor; large basal cavity on N.; multiple attachments @ 3'; thin canopy.
2777	Malley	Kwanzan cherry	5	No	4	Moderate	Typical form & structure; multiple attachments @ 4'.
2778	Malley	Kwanzan cherry	6	No	3	Low	Typical form & structure; thin canopy.
2779	Malley	Cherry	2	No	5	High	Good young tree.
2780	Malley	Kwanzan cherry	6	No	3	Moderate	Typical form & structure; thin canopy.
2781	Malley	Kwanzan cherry	7	No	4	Moderate	Typical form & structure.
2782	Malley	Kwanzan cherry	7	No	3	Moderate	Typical form & structure; thin canopy.
2783	Malley	Kwanzan cherry	8	No	2	Low	Typical form & structure; no vigor; bleeding on trunk; severe wounded surface roots.
2784	Malley	Kwanzan cherry	9	No	4	Moderate	Typical form & structure.
2785	Malley	Kwanzan cherry	8	No	1	Low	Largely dead.
2400	New Law	Canary Island pine	19	Yes	4	Moderate	Typical form & structure; codominant trunks @ 12'; slight separation.
2401	New Law	Crabapple	5	No	3	Low	Lost central leader; flat-topped.
2402	New Law	Crabapple	4	No	3	Low	Lost central leader; flat-topped.
2403	New Law	Crabapple	4	No	3	Low	Lost central leader; flat-topped.
2404	New Law	Crabapple	4	No	3	Low	Lost central leader; flat-topped.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
2399	New Law	Canary Island pine	24	Yes	5	High	Good form & structure; 3' from parking lot.
2398	New Law	London plane	15	Yes	5	High	Good form & structure; 4' from parking lot; sidewalk on N. lifted.
2397	New Law	London plane	18	Yes	5	High	Good form & structure; 4' from parking lot; low lateral on N.; sidewalk repaired on N.
2396	New Law	London plane	19	Yes	5	High	Good form & structure; 4' from parking lot.
2395	New Law	London plane	19	Yes	5	High	Good form & structure; 5' from parking lot; large surface roots; root pruned to S.
2394	New Law	London plane	19	Yes	5	High	Good form & structure; 5' from parking lot; large surface roots; root pruned on S.; low lateral on W.
2428	New Law	Chinese pistache	6	No	5	High	Typical form & structure; 3' wide planter.
2429	New Law	London plane	20	Yes	5	High	Good form & structure; 1' from parking lot; root pruned on E.
2430	New Law	London plane	18	Yes	5	High	Good form & structure; 3' from curb.
2431	New Law	London plane	15	Yes	5	High	Good form & structure; very small planter.
2422	New Law	Australian willow	7	No	4	Moderate	Typical form & structure; 5' by 5' pavement planter.
2423	New Law	Australian willow	6	No	3	Low	Lost central leader @ top; 5' by 5' pavement planter.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
2424	New Law	Australian willow	4	No	2	Low	Typical form & structure; very thin canopy; no vigor.
2425	New Law	Australian willow	7	No	4	Moderate	Typical form & structure; 5' by 5' pavement planter.
2426	New Law	Chinese pistache	6	No	4	Moderate	Typical form & structure; 3' wide planter.
2437	New Law	Chinese pistache	6	No	5	High	Typical form & structure; 3' wide planter.
2405	New Law	Chinese pistache	6	No	5	High	Typical form & structure; 3' wide planter.
2406	New Law	Chinese pistache	5	No	4	Moderate	Typical form & structure; multiple attachments @ 7'; 3' wide planter.
2407	New Law	Australian willow	7	No	4	Moderate	Typical form & structure; 5' by 5' pavement planter.
2408	New Law	Australian willow	6	No	4	Moderate	Typical form & structure; 5' by 5' pavement planter.
2409	New Law	Australian willow	7	No	4	Moderate	Typical form & structure; multiple attachments @ 5'; 5' by 5' pavement planter.
2410	New Law	Australian willow	7	No	4	Moderate	Typical form & structure; 5' by 5' pavement planter.
2437	New Law	Canary Island pine	23	Yes	5	High	Good form & structure; nice tree.
2496	New Law	Canary Island pine	24	Yes	4	Moderate	Corrected lean NW.; good form & structure; basal wound.
2495	New Law	Chinese hackberry	14	No	3	Low	Low & wide crown; thin canopy.
2494	New Law	Crape myrtle	2	No	3	Low	Small scraggly crown; thin canopy.
2493	New Law	Chinese hackberry	12	Yes	5	High	Typical form & structure; multiple attachments @ 6'; 2' from curb.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
2491	New Law	Coast live oak	16	No	4	Moderate	Codominant trunks @ 7'; pretty typical but small foliage & slightly thin canopy.
2490	New Law	Coast live oak	12	Yes	4	Moderate	Typical form & structure; multiple attachments @ 6'.
2489	New Law	Mexican fan palm	25	Yes	5	High	20' brown trunk.
2488	New Law	Mexican fan palm	19	Yes	5	High	8' brown trunk.
2442	New Law	Mexican fan palm	24	Yes	5	High	15' brown trunk.
2441	New Law	Crape myrtle	8	No	4	High	Typical form & structure.
2440	New Law	Canary Island pine	19	No	3	Low	Sinuous lower trunk; bowed SW.; flat area @ base on E.
2438	New Law	Canary Island pine	22	No	3	Low	Strong lean SW.; partly corrected.
2434	New Law	Canary Island pine	19	Yes	5	High	Good form & structure.
2432	New Law	London plane	17	Yes	5	High	Good form & structure; 3' from sidewalk; 2' from curb.
2433	New Law	London plane	20	Yes	5	High	Good form & structure; 1' from curb.
1788	STEM	Kwanzan cherry	11	No	3	Low	One-sided to NW.; thin canopy.
1789	STEM	Coast redwood	20	Yes	4	Moderate	Good form; thin canopy.
1790	STEM	Coast redwood	15	Yes	4	Moderate	Good form; upper canopy very thin.
1791	STEM	Coffeeberry	7	No	3	Low	Failing @ base to NE.; dense crown.
1792	STEM	Coast redwood	20	Yes	4	Moderate	Good form; thin canopy.
1794	STEM	Western redbud	9,4	No	3	Low	Failing @ base to E.; base outside of dripline; codominant trunks @ 1'.
1797	STEM	Coast redwood	17	No	3	Moderate	Good form; very thin canopy.
1798	STEM	Calif. buckeye	9,7,5	No	3	Moderate	Multiple attachments @ base; high crown.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
1799	STEM	Calif. bay	8,6,5	Yes	5	High	Typical form & structure.
1800	STEM	Coast live oak	24	Yes	5	High	Nice tree; multiple attachments @ 15'.
1801	STEM	Coast live oak	22	Yes	4	Moderate	Good form & structure; well-buttressed basal canker on NW.; borers @ base on N.; large surface roots.
1802	STEM	Big-leaf maple	7,6,5,5	No	4	Moderate	Multiple attachments @ base; high crown.
1803	STEM	Coast live oak	16	Yes	4	Moderate	Codominant trunks @ 7'; needs cable or structural pruning.
1804	STEM	Coast live oak	16	No	3	Low	Good form but ext. thinning & twig dieback.
1805	STEM	Coast live oak	30	Yes	4	Moderate	Nice tree; codominant trunks @ 7'; 1 stem vertical & dominant; 2nd stem leans E.; needs cable & prune.
1806	STEM	Coast live oak	36	Yes	3	Low	Big tree; 13' from bldg.; codominant trunks @ 20'; S. side very heavy & horizontal; N. side more vertical but heavy to E.; dense canopy; flat-topped.
1807	STEM	Fern pine	14	Yes	4	Moderate	Topped; low laterals sweep vertical; 3' from bldg.; dense canopy.
1566	STEM	Victorian box	26	No	2	Low	3' from bldg.; leans E.; codominant trunks @ 5' & 9'; high thin canopy.
1821	STEM	Mexican fan palm	23	Yes	4	High	80' brown trunk.
1822	STEM	Mexican fan palm	30	Yes	4	High	80' brown trunk.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
1565	STEM	Fern pine	12	No	2	Moderate	2' from bldg.; leans N.; failing @ base?; sinuous trunk; asymmetric form; high crown.
1564	STEM	Fern pine	20	Yes	5	High	1' from bldg.; vertical; good form & structure.
1824	STEM	Kwanzan cherry	9	No	3	Low	Typical form & structure; very thin canopy.
1852	STEM	Catalpa	36	No	3	Low	Multiple attachments @ 4'; codominant trunks @ 6'; horizontal stem to S. with large cavity on upperside; high crown.
1853	STEM	Coast redwood	40	No	3	Low	Good form; very thin canopy.
1826	STEM	Strawberry tree	16	No	3	Low	Suppressed by adj. tree; leans SW.; bowed flat; multiple attachments @ 5'.
1827	STEM	Strawberry tree	20,13	Yes	4	Moderate	Codominant trunks @ base; 20" stem vertical good & dominant; 13" stem poor form & structure; bowed W.; sweep upwards @ tips.
1828	STEM	Chestnut	23	No	3	Moderate	Codominant trunks @ 16'; lacks vigor in upper canopy.
1852	STEM	Japanese maple	11,10,8	No	2	Low	Multiple attachments @ base with decay in center; all stems with sunburn/dead bark; thin canopy.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
1829	STEM	Calif. pepper	44	Yes	4	Moderate	Codominant trunks @ 6' with small hollow in attachment; main stem codominant again @ 12'; 2nd stem leans E.; sweep @ tip but long & heavy with gap in canopy ; somewhat thin canopy; reduce E. stem.
1848	STEM	Monterey pine	31	No	1	Low	Dying; remove ASAP.
1847	STEM	Lawsons cypress	13,11,10,9	Yes	4	Moderate	Multiple attachments @ 1'; slight lean outwards; dense canopy.
1779	STEM	Dawn redwood	25	Yes	5	High	Good form & structure; few surface roots.
1778	STEM	Lawsons cypress	12,10,9,8,7	No	3	Low	Multiple attachments @ 1' & above; vertical; thin canopy with twig dieback.
1777	STEM	Lawsons cypress	11,11,10,10,9,8	No	3	Low	Multiple attachments @ 2'; mostly vertical but thin rangy canopy.
1830	STEM	Hollywood juniper	6,6,5,4,4	No	3	Low	Multiple attachments @ base; lifted; flat-topped.
1831	STEM	Hollywood juniper	12	No	3	Moderate	Typical form & structure; lost central leader.
1832	STEM	Pecan	30	Yes	4	Moderate	Vase-shaped crown; heavy to W.; dense canopy; series of codominant attachments.
1833	STEM	Fern pine	12	Yes	5	High	3' from bldg.; good form & structure.
1834	STEM	Fern pine	9	No	5	High	1' from bldg.; good form & structure.
1776	STEM	Deodar cedar	29	No	3	Low	Typical form & structure; thin canopy; small needles.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
1787	STEM	Blue Atlas cedar	34	No	3	Low	Big old tree; large areas of dead bark on S.; flat-topped; rangy form.
2295?	STEM	Willow	22	Yes	4	Moderate	Near #2998; num. scaffolds arise btwn. 5' & 8' inc. multiple attachments @ 8'; center open.
2293	STEM	Southern magnolia	12	No	3	Low	Typical form & structure; thin canopy; twig dieback.
2292	STEM	Southern magnolia	10	No	3	Low	Multiple attachments @ 5'; poor attachment; wide flat form.
2291	STEM	Southern magnolia	12	No	3	Low	Multiple attachments @ 5'; twig dieback; thin canopy.
2290	STEM	Southern magnolia	11	No	3	Low	Pyramidal form; lost central leader @ top; thin canopy; twig dieback. Different cultivar.
2289	STEM	Southern magnolia	12	No	3	Moderate	Typical form & structure; thin canopy.
2288	STEM	Southern magnolia	12	No	3	Low	Multiple attachments @ 5'; thin canopy; twig dieback.
2287	STEM	Southern magnolia	11	No	3	Low	Open wide form; thin canopy.
2286	STEM	Southern magnolia	12	No	3	Low	Multiple attachments @ 5'; wide form.
2285	STEM	Southern magnolia	16	No	3	Low	Multiple attachments @ 5'; thin canopy.
2999	STEM	Crape myrtle	3,2,2,2	No	5	High	Good young tree.
2995	STEM	Kwanzan cherry	5	No	3	Low	Codominant trunks @ 3'; long trunk wound on lower trunk.
3000	STEM	Coast redwood	14	Yes	4	Moderate	Good form & structure.
3001	STEM	Coast redwood	17	Yes	4	Moderate	Good form & structure; thin canopy

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3002	STEM	Coast redwood	21	Yes	5	High	Good form & structure.
	STEM	Fern pine	18,11	No	3	Low	Near #3000; codominant trunks @ 1' & 6'; one-sided to E.; 11" stem leans S.; poor.
3004	STEM	Kwanzan cherry	4	No	3	Low	Multiple attachments @ 4'; gall @ base; thin canopy.
3005	STEM	Kwanzan cherry	9	No	3	Low	Multiple attachments @ 4'; rangy form; upper canopy thin.
3006	STEM	European birch	10	No	3	Low	Bowed flat to W.
3007	STEM	Southern magnolia	20	Yes	4	Moderate	Nice tree; codominant trunks @ 6'.
3008	STEM	European birch	9	No	4	Moderate	Codominant trunks @ 8'; vertical.
3009	STEM	European birch	9	No	3	Low	One-sided to W.; rangy form.
3010	STEM	European birch	9	No	3	Low	Codominant trunks @ 7'; vertical; upper canopy thin.
3011	STEM	Redmond linden	14	Yes	5	High	Good tree; very pyramidal form.
3012	STEM	Fern pine	15	No	3	Low	Leans SE.; slight correction; multiple attachments @ 11'; open upper canopy.
2996	STEM	Kwanzan cherry	3	No	2	Low	Multiple attachments @ 3'; sunburn; twig dieback.
2997	STEM	Kwanzan cherry	4	No	2	Low	Multiple attachments @ 3'; sunburn; twig dieback.
2998	STEM	Kwanzan cherry	5	No	3	Low	Multiple attachments @ 3'; better.
2991	STEM	Honey locust	6	No	3	Low	Typical form & structure; no vigor.
2990	STEM	Honey locust	4	No	2	Low	Multiple attachments @ 6'; poor.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
2989	STEM	Canary Island date palm	33	Yes	5	High	18' brown trunk.
2988	STEM	Canary Island date palm	31	Yes	5	High	20' brown trunk.
2987	STEM	Southern live oak	14	Yes	4	Moderate	Group of 3; typical form & structure; girdling roots.
2986	STEM	Southern live oak	15	No	3	Low	Group of 3; crook @ 8'; one-sided to E.
2985	STEM	Southern live oak	14	Yes	4	Moderate	Group of 4; bowed SW.; codominant trunks @ 10'.
2984	STEM	Honey locust	4	No	3	Low	Typical form & structure; no vigor.
2983	STEM	Canary Island date palm	34	Yes	5	High	18' brown trunk.
2982	STEM	Canary Island date palm	33	Yes	5	High	20' brown trunk.
2981	STEM	Honey locust	5	No	2	Low	Codominant trunks @ 6'; flat-topped; poor.
2978	STEM	Canary Island date palm	31	Yes	5	High	18' brown trunk.
2979	STEM	Valley oak	20	Yes	4	Moderate	Codominant trunks @ 10' with included bark; starting to separate; needs cable; surface roots wounded; good vigor.
2980	STEM	Southern live oak	14	No	3	Low	Poor structure; codominant trunks @ 7' & 9'; higher attachment is very poor; dense canopy; flat-topped.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
2977	STEM	Honey locust	5	No	2	Low	Poor form & structure; no vigor; long trunk wound on W.
2976	STEM	Honey locust	5	No	2	Low	Poor; no vigor; long trunk wound on W.
2975	STEM	Canary Island date palm	34	Yes	5	High	20' brown trunk; circular cutout in pavement.
2974	STEM	Canary Island date palm	33	Yes	5	High	18' brown trunk.
2973	STEM	Canary Island date palm	32	Yes	5	High	20' brown trunk; circular cutout in pavement.
2972	STEM	Coast live oak	19	No	3	Moderate	Group of 3 trees; multiple attachments @ 8'; one-sided to NE.; small foliage.
2971	STEM	Coast live oak	16	No	3	Moderate	Group of 3 trees; codominant trunks @ 7' & 9'; one-sided to W.; small foliage.
2970	STEM	Coast live oak	16	Yes	4	Moderate	Group of 3 trees; one-sided to S.; codominant trunks @ 12'.
3110	STEM	Japanese pagoda tree	20	No	3	Low	Well-buttressed basal wound on N.; codominant trunk removed @ 10'; multiple attachments @ 20'; high irregular crown; overall poor structure; vigorous.
3109	STEM	Chinese hackberry	6	Yes	4	Moderate	Typical form & structure; but lost central leader.
3108	STEM	Chinese hackberry	5	Yes	4	Moderate	Codominant trunks @ 6'; one stem becoming suppressed; overall good.
3107	STEM	Mayten	15	No	2	Low	Just poor.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3106	STEM	Chinese hackberry	6	Yes	4	Moderate	Typical form & structure; multiple attachments @ 5'.
3105	STEM	Evergreen elm	8	No	4	Moderate	Sinuous trunk; lost central leader @ top.
3104	STEM	Silver maple	9,6	No	3	Low	Codominant trunks @ 2' with 3rd stem x'd; vase-shaped crown; twig dieback; chlorotic.
3103	STEM	Crabapple	5	No	3	Low	Poor form & structure.
3628	Student Housing	London plane	17	Yes	5	High	Good form & structure.
3743	Student Housing	Oleander	6	No	4	Moderate	Standard; bowed E.
3744	Student Housing	London plane	11	Yes	4	Moderate	Leaning & one-sided to E.
3742	Student Housing	Callery pear	4	No	3	Low	Typical form & structure; multiple attachments @ 5'; leans E.; weed eater damage @ base.
3741	Student Housing	Callery pear	2	No	3	Low	Typical form & structure; very wet; can push tree over; weed eater damage @ base.
3740	Student Housing	Callery pear	2	No	3	Low	Typical form & structure; very wet; can push tree over; weed eater damage @ base.
3739	Student Housing	Callery pear	3	No	4	Moderate	Typical form & structure; very wet; can push tree over; weed eater damage @ base.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3738	Student Housing	Callery pear	7	No	3	Low	Typical form & structure.
3737	Student Housing	Callery pear	6	No	3	Low	Typical form & structure; very wet; twig dieback; weed eater damage @ base.
3736	Student Housing	Callery pear	4	No	3	Low	Typical form & structure; very wet; large wounds on lower trunk.
3735	Student Housing	Coast live oak	12	No	3	Low	Poor form & structure; codominant trunks @ 7'; separated.
3688	Student Housing	Coast live oak	13	Yes	4	Moderate	Typical form & structure; bleeding canker on trunk; heavy witches brooming.
3686	Student Housing	Callery pear	6	No	3	Moderate	Typical form & structure; multiple attachments @ 6'; twig dieback.
3685	Student Housing	Chinese lantern	10	No	4	High	Typical form & structure; nice tree.
3999	Student Housing	Chinese hackberry	6	Yes	4	Moderate	Typical form & structure.
3995	Student Housing	Chinese hackberry	10	Yes	2	Low	Poor form & structure; codominant trunks @ 2' trunk twist around each other with large cavity between.
3996	Student Housing	Chinese lantern	8	No	4	High	Typical form & structure; multiple attachments @ 7'; nice tree.
3994	Student Housing	Chinese hackberry	6	Yes	5	High	Good form & structure; large wounds to surface roots.
3993	Student Housing	Chinese hackberry	5	Yes	3	Moderate	Crowded; one-sided to NW.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3992	Student Housing	Chinese hackberry	9	Yes	4	Moderate	Multiple attachments @ 7'.
3933	Student Housing	Kwanzan cherry	6	No	3	Moderate	Typical form & structure; twig dieback.
3932	Student Housing	Kwanzan cherry	4	No	2	Low	Poor form & structure; thin canopy; twig dieback.
3931	Student Housing	Kwanzan cherry	6	No	5	High	Good tree; multiple attachments @ 4'.
3930	Student Housing	Kwanzan cherry	6	No	4	Moderate	Typical form & structure; twig dieback; epicormics @ graft union
3929	Student Housing	Kwanzan cherry	5	No	4	Moderate	Typical form & structure; slightly thin canopy.
3928	Student Housing	Kwanzan cherry	6	No	4	Moderate	Typical form & structure; slightly thin canopy.
3926	Student Housing	Western redbud	5,4,3,3,3	No	4	Moderate	Multiple attachments @ base; stems bow almost to ground.
3774	Student Housing	Chinese lantern	8	No	4	Moderate	Parking lot planter; typical form & structure; multiple attachments @ 12'.
3773	Student Housing	Chinese lantern	8	No	4	Moderate	Parking lot planter; typical form & structure; branch failure.
3772	Student Housing	Chinese lantern	7,6	No	3	Low	Parking lot planter; codominant trunks @ 1'; okay.
3771	Student Housing	Chinese lantern	9	No	4	Moderate	Parking lot planter; typical form & structure; multiple attachments @ 7'.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3758	Student Housing	Chinese lantern	8	No	3	Low	Parking lot planter; multiple attachments @ 7'; stems bow outwards; scaffold branch failure.
3757	Student Housing	Chinese lantern	8	No	4	Moderate	Parking lot planter; typical form & structure; multiple attachments @ 7'.
3759	Student Housing	Evergreen elm	12	No	3	Low	Parking lot planter; multiple attachments @ 6'; very thin canopy.
3760	Student Housing	Evergreen elm	12	No	3	Low	Parking lot planter; multiple attachments @ 6'; very thin canopy.
3761	Student Housing	Evergreen elm	12	No	3	Low	Parking lot planter; very thin canopy.
3762	Student Housing	Evergreen elm	13	No	3	Low	Parking lot planter; multiple attachments @ 5'; very thin canopy.
3763	Student Housing	Evergreen elm	5	No	4	Moderate	Parking lot planter; typical form & structure.
3764	Student Housing	Evergreen elm	7	No	5	High	Parking lot planter; good tree.
3765	Student Housing	Evergreen elm	4	No	5	High	Parking lot planter; good young tree.
3766	Student Housing	Evergreen elm	5	No	5	High	Parking lot planter; good young tree.
3767	Student Housing	Evergreen elm	12	No	3	Moderate	Parking lot planter; typical form & structure; multiple attachments @ 5'; very thin canopy.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3768	Student Housing	Evergreen elm	13	Yes	5	High	Parking lot planter; typical form & structure; multiple attachments @ 6'. Why is this tree so good?
3769	Student Housing	Evergreen elm	12	No	3	Low	Parking lot planter; typical form & structure; multiple attachments @ 7'; very thin canopy.
3770	Student Housing	Evergreen elm	13	No	3	Moderate	Parking lot planter; typical form & structure; multiple attachments @ 6'; thin canopy.
3777	Student Housing	Evergreen elm	8	No	5	High	Parking lot planter; typical form & structure; nice tree.
3778	Student Housing	Evergreen elm	8	No	5	High	Parking lot planter; typical form & structure; nice tree.
3779	Student Housing	Evergreen elm	7	No	5	High	Parking lot planter; typical form & structure; nice tree.
3780	Student Housing	Evergreen elm	7	No	4	Moderate	Parking lot planter; typical form & structure; multiple attachments @ 6'; lost central leader.
3756	Student Housing	Coast redwood	17	Yes	5	High	Good form; upper canopy slightly thin.
3755	Student Housing	Coast redwood	12	Yes	4	Moderate	Good form; thin canopy.
3754	Student Housing	Coast redwood	9	No	3	Low	Good form; very thin canopy.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3700	Student Housing	Kwanzan cherry	5	No	3	Low	Multiple attachments @ 3'; twig dieback.
3646	Student Housing	Sweetgum	14	Yes	4	Moderate	Low laterals sweep vertical; bow outwards in upper canopy.
3645	Student Housing	Sweetgum	14	Yes	4	Moderate	Narrow & upright form; hanger high in canopy.
3644	Student Housing	Fern pine	22	Yes	4	Moderate	1' from bldg.; codominant trunks @ 20' with included bark; laterals sweep upright; dense canopy.
3643	Student Housing	Sweetgum	14	Yes	4	Moderate	Low laterals sweep upright.
3642	Student Housing	Fern pine	16	Yes	4	Moderate	2' from bldg.; codominant trunks @ 12'; laterals sweep upright.
3641	Student Housing	Sweetgum	19	Yes	4	Moderate	Rangy form with heavy lateral limbs to N. & S.
3640	Student Housing	Sweetgum	13	No	3	Low	Multiple attachments @ 7'; laterals sweep upright; lost central leader.
3639	Student Housing	Sweetgum	18	Yes	4	Moderate	Okay form; heavy lateral limb to N. over sidewalk.
3638	Student Housing	Sweetgum	15	Yes	5	High	Good tree; developing heavy lateral limbs.
3637	Student Housing	Sweetgum	15	Yes	4	Moderate	Several sets of codominant attachments; one-sided to W.
3636	Student Housing	Sweetgum	18	Yes	5	High	Good tree.

Tree Assessment

Master Plan Project Areas

Santa Clara University
 Santa Clara CA
 July 2015



TREE No.	LOCATION	SPECIES	TRUNK DIAMETER (in.)	PROTECTED TREE?	CONDITION 1=poor 5=excell.	SUITABILITY for PRESERVATION	COMMENTS
1508.1	Benson	Chinese pistache	18	No	3	Low	On Market St.; sinuous trunk; codominant trunks @ 20'; branch failure.
3635	Student Housing	Sweetgum	11	Yes	5	High	Good tree.
3634	Student Housing	London plane	22	Yes	5	High	Good tree; developing heavy lateral limbs; adj. sidewalk lifted.
3633	Student Housing	London plane	15	Yes	5	High	Good form & structure.
3471	Student Housing	Callery pear	8	No	3	Low	Multiple attachments @ 4'; rangy form; very wet; basal wounds.
3470	Student Housing	Callery pear	9	No	2	Low	Poor form & structure; multiple attachments @ 4'; rangy form; very wet.
3469	Student Housing	Callery pear	7	No	3	Low	Typical form & structure; very thin canopy.